

No. F 85

C. H. Roberts
Ord. Dept.
75-

Drawings Indicating the
Coloring and Marking
of
American Artillery Ammunition
and Containers

18 PLATES

February 1, 1919

AMERICAN EXPEDITIONARY FORCES
OFFICE OF THE CHIEF ORDNANCE OFFICER

General Headquarters,
American Expeditionary Forces,

France, January 18, 1919.

This pamphlet is published for the information and guidance of the American Expeditionary Forces.

By Command of General Pershing :

ROBERT C. DAVIS,

Adjutant General.

NOTE

Additional copies of this pamphlet may be procured upon request to Supply Division, Office of the Chief Ordnance Officer, American Expeditionary Forces.

No. F 85

Drawings Indicating the
Coloring and Marking
of
American Artillery Ammunition
and Containers

18 PLATES


February 1, 1919

AMERICAN EXPEDITIONARY FORCES
OFFICE OF THE CHIEF ORDNANCE OFFICER


LIST OF PLATES

	Drawing Number
5-inch S. C. Gun Ammunition.....	7
75 mm., 3-inch and 37 mm. Ammunition.....	15
4.7-inch Ammunition	16
155 mm. Gun Ammunition.....	17
155 mm. Howitzer Ammunition.....	18
6-inch Gun Ammunition.....	19
Fuzes	20
Primers.....	21
8-inch Gun Ammunition.....	22
12-inch Gun Ammunition.....	23
9.2-inch Howitzer, 240 mm. Howitzer and 10-inch Gun Ammunition.....	24
14-inch Gun and 16-inch Howitzer Ammunition.....	25
8-inch Howitzer Ammunition.....	27
Packing Box Markings.	
Shipping Charts (four plates).	

WEIGHT ZONES WITHOUT FUZES.		NO. OF SQUARE MARKS	WEIGHT MARKS
OVER	UP TO & INCLUDING		
49 LBS. 11 OZ.	50 LBS. 6 OZ.	1	50.10
50 LBS. 8 OZ.	51 LBS. 8 OZ.	2	50.90
51 LBS. 5 OZ.	52 LBS. 2 OZ.	3	51.70




5 IN. COMMON STEEL SHELL MARK II




5 IN. COMMON STEEL SHELL MARK II

WEIGHT ZONES FOR 5 IN GAS SHELL			
WEIGHT MARKS	FROM	TO	WEIGHT STENCIL
49 11	50 6	50 10	
50 8	51 8	50 90	
51 5	52 2	51 70	



CARTRIDGE FOR 5 IN. S.C. GUN MODEL 1897.
MAXIMUM CHARGE 18 LBS. 6
BASE SECTION 12 LBS.
INCREMENT SECTION 6 LBS.
MINIMUM CHARGE 9 LBS.
BASE SECTION 6 LBS.
INCREMENT SECTION 3 LBS.




PACKING BOX FOR 5 IN. CARTRIDGES
CONTAINING 6 CARTRIDGES IN FIBRE CONTAINERS.

NOTE:- DIAMETER AND WEIGHT OF POWDER CHARGE WILL VARY WITH DIFFERENT LOTS OF SMOKELESS POWDER. THE VARIATIONS GIVEN REPRESENT EXTREME LIMITS FOR THE SAME CHARGE.




STAMPED IN BOTTOM.



FIBRE CONTAINER.
FOR CARTRIDGES.
1-CARTRIDGE IN ONE CONTAINER.

FELT PAD.


STENCIL MARKING WILL BE STENCILED LENGTHWISE IN WHITE ON OPPOSITE SIDE OF SHELL.



FRICTION PRIMER-MODEL 1914.


TABLE OF FILLER MARKINGS FOR GAS SHELL			
SHELL FILLER	COLOR OF BANDS.		
	1ST BAND	2ND BAND	3RD BAND
VN	WHITE	NONE	NONE
CB	WHITE	WHITE	NONE
PS	WHITE	RED	NONE
HS	RED	RED	RED
BA	RED	NONE	NONE
PS	WHITE	RED	WHITE
NC	WHITE	RED	YELLOW
WP	YELLOW	NONE	NONE
SE	WHITE	WHITE	WHITE
DA	RED	RED	NONE
CA	FOUR RED		
INCENDIARY	NONE	NONE	NONE
FM	YELLOW	YELLOW	NONE

OTHER TYPES OF CHEMICAL SHELL WHOSE FUNCTION IS NOT INDICATED BY THE COLOR OF THE PAINT WILL HAVE STENCILED ON THE SHELL A WORD TO INDICATE ITS FUNCTION.




NOTE:
ALL TITLES ARE UNDERLINED.

THIS DRAWING SUPERSEDES DRAWING T.O.M.-7 DATED APRIL 4, 1918



POINT DETONATING FUZE MARK III




PACKING BOX FOR FUZES.
CONTAINING 50 MARK III FUZES,
OR 100 MARK FUZES.

TABLE NO. 1
100 OR 50 POINT DET FUZES M. OR M III
TABLE NO. 2
NON SHORT OR LONG DELAY. LOT NO XXX
TABLE NO. 3
U.S. NO. 17 W.T. 50 LBS
INV. 1080 DATED NOV 20, 1917.
TABLE NO. 4
THE COMMANDING OFFICER'S ADDRESS.
TABLE NO. 5
DETONATING FUZES
HANDLE CAREFULLY.

DRAWING PERTAINS TO	REVISIONS	MARKINGS & PAINTING FOR 5 IN S.C. GUN AMMUNITION. OFFICE OF CO-OPERATION FRANCE JUNE 6, 1918 A. H. Hutchings CAPT. BRITISH ARMY APPROVED BY ORDER OF THE ACTING CHIEF OF ORDNANCE Pharm. M. J. M. APPROVED BY ORDER OF THE ACTING CHIEF OF ORDNANCE JULY 1, 1918 CLASS DIVISION T.Q.M. DRAWING 7 FILE
CLASS	FILE	

F75-3-TOM7



REDUCED CHARGE.

75% COMMON STEEL SHELL MARK I.


NORMAL CHARGE.

75% COMMON STEEL SHELL MARK II.

TIME FUZE WITH WATERPROOF COVER

OVER	UP TO & INCLUDING	MARK
10 LBS 11 OZ	11 LBS 0 OZ	L
11 LBS 0 OZ	11 LBS 5 OZ	+
11 LBS 5 OZ	11 LBS 11 OZ	++
11 LBS 11 OZ	12 LBS 0 OZ	+++
12 LBS 0 OZ	12 LBS 5 OZ	++++

ABOVE WEIGHT ZONES ARE FOR COMMON STEEL SHELL MARK I AND DO NOT INCLUDE FUZE WEIGHTS INCLUDING M.I.F. ADAPTER AND BOOSTER




DETONATING FUZE MARK III.



DETONATING FUZE MARK V.

PAINTING FOR SMOKE SHELL & INCENDIARY PROJECTILE. MARKING WILL BE SIMILAR TO GAS SHELL.



75% GAS SHELL TABLE OF FILLER MARKINGS.

SHELL FILLER	COLOR OF BANDS			STENCIL MARKINGS
	1ST BAND	2ND BAND	3RD BAND	
VN	WHITE	NONE	NONE	SPECIAL GAS
CG	WHITE	WHITE	NONE	SPECIAL GAS
PS	WHITE	RED	NONE	SPECIAL GAS
HS	RED	RED	RED	SPECIAL GAS
BA	RED	NONE	NONE	SPECIAL GAS
PG	WHITE	RED	WHITE	SPECIAL GAS
NC	WHITE	RED	YELLOW	SPECIAL GAS
WP	YELLOW	NONE	NONE	SPECIAL SMOKE
SF	WHITE	WHITE	WHITE	SPECIAL GAS
DA	RED	RED	NONE	SPECIAL GAS
CA	RED	RED	RED	SPECIAL GAS
INCENDIARY	NONE	NONE	NONE	INCENDIARY
FM	YELLOW	YELLOW	NONE	SPECIAL SMOKE


OTHER SPECIAL TYPES OF CHEMICAL SHELL WHOSE FUNCTION IS NOT INDICATED BY THE COLOR OF THE PAINT WILL HAVE STENCILED ON THE SHELL A WORD TO INDICATE ITS FUNCTION.

WEIGHT ZONES FOR 75% GAS SHELL NOT INCLUDING FUZE WEIGHTS.			
FROM	TO	WEIGHT MARK	
LBS	OZ	LBS	OZ
10	11	11	0
11	0	11	5
11	5	11	11
11	11	12	0
12	0	12	5








37% COMMON STEEL SHELL MARK I.

SIZE OF BOX FOR 60 COMPLETE ROUNDS 8 3/4" X 12 1/2" X 19 1/2".



37% HIGH EXPLOSIVE SHELL MARK II.

SIZE OF BOX FOR 60 COMPLETE ROUNDS 10 1/2" X 12 1/2" X 20"



WEIGHT ZONES FOR 3IN. AA SHELL MARK I		
OVER	UP TO & INCLUDING	MARK
13 LBS. 9 OZ.	13 LBS. 12 OZ.	■
13 LBS. 12 OZ.	14 LBS. 0 OZ.	■ ■
14 LBS. 0 OZ.	14 LBS. 3 OZ.	■ ■ ■

THIS BLACK STRIPE APPLIES TO SHELL AMMUNITION ONLY.

3IN. ANTI-AIRCRAFT TRACER SHELL MARK III.

NOTE: SIZE OF BOX FOR 9 FIXED ROUNDS FOR 75% GUN AND 75AA GUN-12 3/4" X 13 1/2" X 28 1/2". SIZE OF BOX FOR 9 FIXED ROUNDS FOR 3IN. AA GUN-10 3/4" X 12 1/2" X 36 3/4". FOR MARKING OF BOXES SEE DWG. 20-4-14.

FUZE DRAWING T.O.M. 20.

ALL TITLES ARE UNDERLINED.

REVISIONS		COLORING AND MARKING OF AMERICAN, 75MM AMMUNITION AND 3IN. AMMUNITION AND 37% AMMUNITION.	
1	SEPT-6-1918	OFFICE OF C.O.O.	S.O.S. JUNE 13, 1918.
		SUBMITTED	ART. 100
		APPROVED BY CHIEF OF BUREAU	
		EXAMINED	
		1ST. COL. BRD. DEPT. U.S.A.	1ST. COL. BRD. DEPT. U.S.A.
		CLASS	DIVISION T.O.M. DRAWING 15
		ARTILLERY AMMUNITION SECTION	

75-2-10-118

The diagram illustrates two 4.7 inch Common Steel Shell Mark I Unfixed shells. Each shell has a green band at the top indicating smoke composition. Below this, punch marks in black squares indicate the weight zone as per the table above. The center of gravity is marked with a small circle and the number 4.7G. The caliber and type of gun or howitzer are marked in black as AC. The bottom of the shell features the AMM. LOT NO. and LOT NO. XXX. A yellow band is also visible near the base.

43 LBS 11 OZ	44 LBS 6 OZ	2
44 LBS 6 OZ	45 LBS 1 OZ	3

GREEN BAND INDICATES SMOKE COMPOSITION.


PUNCH MARKS IN BLACK SQUARES INDICATE WEIGHT ZONE AS PER TABLE ABOVE.

INDICATES NOT FOR SERVICE, IN RED.


CALIBER AND TYPE OF GUN OR HOWITZER, IN BLACK.

4.7" COMMON STEEL SHELL MARK I UNFIXED


EXPLOSIVE	SYMBOL
T.N.T. CAST	AC
50-50 AMATOL	AM 50-50
80-20 AMATOL	AM 80-20



NOTE: MARKS NOT
EXPLAINED ARE SAME
AS C.S. SHELL MARK I




4.7* COMMON STEEL SHELL
MARK II (GAS)
FIXED




4.7" COMMON STEEL SHELL
MARK IV ICENDIARY OR SMOKE
FIXED

SHELL FILLER	COLOR OF BANDS.			STENCIL MARKING
	1ST BAND	2ND BAND	3RD BAND	
V N	WHITE	NONE	NONE	SPECIAL GAS
G G	WHITE	WHITE	NONE	SPECIAL GAS
P S	WHITE	RED	NONE	SPECIAL GAS.
H S	RED	RED	RED	SPECIAL GAS.
B A	RED	NONE	NONE	SPECIAL GAS
P G	WHITE	RED	WHITE	SPECIAL GAS
N C	WHITE	RED	YELLOW	SPECIAL GAS
W P	YELLOW	NONE	NONE	SPECIAL SMOKE
S F	WHITE	WHITE	WHITE	SPECIAL GAS
D A	RED	RED	NONE	SPECIAL GAS
C A		FOUR	RED	SPECIAL GAS
INCENDIARY	NONE	NONE	NONE	INCENDIARY
F M	YELLOW	YELLOW	NONE	SPECIAL SMOKE

PUNCH MARKS IN BLACK
SQUARES INDICATE WEIGHT
ZONE AS PER TABLE ABOVE



4.7" COMMON STEEL A.A.
SHELL MARK III. FIXED



4.7" ANTI-AIRCRAFT SHRAPNEL
MARK I
FIXED

NOTE:
FUZE DRG. T.O.M. 20
PACKING BOX CONTAINING 2-47"
ROUNDS 36.625" x 12.875" x 8.937" CON-
TAINING 2-47" AA ROUNDS 42.875" x
14.625" x 9.687" MARKING AS PER DRG.
20-4-AA

NOTE: TITLES ARE UNDERLINED

ENGINE RE- PORTED TO	REVISIONS		COLORING AND MARKING OF AMERICAN .47" AMMUNITION.
CLARK JAY	SEPT 6-1918		OFFICE OF THE CHIEF ORDNANCE OFFICER, S.O.S. AEP
			EXAMINED BY [initials] NAT
			APPROVED BY ORDER OF THE CHIEF OF BUREAU
			SUBMITTED [signature]
			L.T. COL. ORDNANCE DEPARTMENT
			DIVISION T.O.M. DRAWING 16


ARTILLERY AMMUNITION SECTION

WEIGHT OVER	ZONES TO AND INCLUDING	NO OF SQUARES	WEIGHT STENCIL LINE PUNCH MACHINE EQUIV.
91 LBS-3 OZ	82 LBS-5 OZ	2	41K 700
92 LBS-5 OZ	93 LBS-6 OZ	3	42K 700
93 LBS-6 OZ	94 LBS-8 OZ	4	43K 700
94 LBS-8 OZ	95 LBS-10 OZ	5	44K 700
95 LBS-10 OZ	96 LBS-12 OZ	6	45K 700

EXPLOSIVE	SYMBOL
TNT CAST	AC
50-50 AMATOL	AM 50-50
80-20 AMATOL	AM 80-20


THE ABOVE WEIGHTS DO NOT INCLUDE THE WEIGHT OF THE FUZE.

SHELLS NOT FOR SERVICE WILL BE STENCILLED IN RED PAINT WITH FLAMING BOMB.



155 MM C.S. SHELL MARK III


155 MM C.S. SHELL MARK V



155 MM C.S. SHELL MARK

GAS, SMOKE AND INCENDIARY.

DIMENSIONS OF PCKG BOX FOR 155 MM GAS SHELL = 27.812 X 14.625 X 7.781. 2 SHELLS PER BOX.




PACKING BOX FOR FIBRE CONTAINERS

CONTAINING 4 CARTRIDGES IN FIBRE CONTAINERS

DIMENSIONS OF PCKG BOX = 44.624 X 14.99 X 14.99

TIME FUZE ON ALL CHEMICAL SHELL EXCEPT GAS SHELL.



CARTRIDGE BAG FOR 155 MM GUN

MAXIMUM CHARGE 30 LBS.

BASE SECTION CHARGE POWDER 22 LBS.


INCREMENT SECTION CHARGE POWDER 8 LBS.

MINIMUM CHARGE 18 LBS.

BASE SECTION CHARGE POWDER 15 LBS.

INCREMENT SECTION CHARGE POWDER 4 LBS.

NOTE: DIAMETER AND WEIGHT OF CARTRIDGE WILL VARY WITH DIFFERENT LOTS OF SMOKELESS POWDER. THE VARIATIONS GIVEN REPRESENT EXTREME LIMITS FOR THE SAME CHARGE.



FIBRE CONTAINER FOR CARTRIDGE BAG

1- CARTRIDGE PER CONTAINER.

NOTE:

ALL TITLES ARE UNDERLINED FOR FUZES SEE DRAWING-T.O.M. 20 FOR PRIMERS SEE DRAWING-T.O.M. 21.

TABLE OF FILLER MARKINGS.			
SHELL FILLER	COLOR OF BANDS.		
	1ST BAND	2ND BAND	3RD BAND
VN	WHITE	NONE	NONE
CG	WHITE	WHITE	NONE
PS	WHITE	RED	NONE
HS	RED	RED	RED
SA	RED	NONE	NONE
PG	WHITE	RED	WHITE
NC	WHITE	RED	YELLOW
WP	YELLOW	NONE	NONE
SP	WHITE	WHITE	WHITE
DA	RED	RED	NONE
CA	FOUR RED		
INCENDIARY	NONE	NONE	NONE
FM	YELLOW	YELLOW	NONE

OTHER SPECIAL TYPES OF CHEMICAL SHELL WHOSE FUNCTION IS NOT INDICATED BY THE COLOR OF THE PAINT WILL HAVE STENCILLED ON THE SHELL A WORD TO INDICATE ITS FUNCTION.


DRAWING PERTAINS TO CLASSIFICATION	REVISIONS	COLORING AND MARKING OF AMERICAN 155 MM. GUN AMMUNITION. OFFICE OF C.O.O.A.E.F. FRANCE	
CLASS	DIVISION TOM		
DRAWING 17	FILE	APPROVED BY OFFICE OF THE ACTING CHIEF OF ORDNANCE CHAS. M. STEARNS CHIEF OF ORDNANCE DEPARTMENT U.S.A.	

775-370417

WEIGHT OVER	ZONES TO AND INCLUDING	NO OF SQUARES PUNCH MACHINES - EQUIV	WEIGHT STENCIL LINE
91 LBS - 3 OZ	92 LBS - 5 OZ	2	41K 700
92 LBS - 5 OZ	93 LBS - 6 OZ	3	42K 800
93 LBS - 6 OZ	94 LBS - 8 OZ	4	42K 700
94 LBS - 8 OZ	95 LBS - 10 OZ	5	43K 800
95 LBS - 10 OZ	96 LBS - 12 OZ	6	43K 700


EXPLOSIVE	SYMBOL
T.N.T. CAST.	AC
50-50 AMATOL	AM 50-50
80-20 AMATOL	AM 80-20

TIME FUZE ON ALL CHEMICAL
SHELL EXCEPT GAS SHELL



155 MM C.S. SHELL MARK III



155 MM. C.S. SHELL MARK V



155MM.C.S. SHELL MARK


GAS, SMOKE AND INCENDIARY.

DIMENSIONS OF PKG BOX FOR 155 MM
GAS SHELL = 27.812 X 14.625 X 7.781;
2 SHELLS PER BOX.



CARTRIDGE BAG FOR 155 MM GUN
MAXIMUM CHARGE 30 LBS.
BASE SECTION CHARGE POWDER 22. LBS.
INCREMENT SECTION CHARGE POWDER 8 LBS.
MINIMUM CHARGE 10 LBS.
BASE SECTION CHARGE POWDER 15 LBS.
INCREMENT SECTION CHARGE POWDER 4 LBS.

NOTE: DIAMETER AND WEIGHT OF CARTRIDGE WILL VARY WITH DIFFERENT LOTS OF SMOKELESS POWDER. THE VARIATIONS GIVEN REPRESENT EXTREME LIMITS FOR THE SAME CHARGE.




FIBRE CONTAINER FOR CARTRIDGE BAG.

1-CARTRIDGE PER CONTAINER.

NOTE:

ALL TITLES ARE UNDERLINED.
FOR FUZES SEE DRAWING-T.Q.M. 20
FOR PRIMERS SEE DRAWING-T.Q.M. 21



PACKING BOX FOR FIBRE CONTAINERS


CONTAINING 4 CARTRIDGES IN FIBRE CONTAINERS

DIMENSIONS OF PKG BOX-44.624 X 14.99 X 14.99

SHELL FILLER	COLOR OF BANDS.			STENCIL MARKINGS.
	1ST BAND	2ND BAND	3RD BAND	
VN	WHITE	NONE	NONE	SPECIAL GAS
CG	WHITE	WHITE	NONE	SPECIAL GAS
PS	WHITE	RED	NONE	SPECIAL GAS
HS	RED	RED	RED	SPECIAL GAS
BA	RED	NONE	NONE	SPECIAL GAS
PG	WHITE	RED	WHITE	SPECIAL GAS
NC	WHITE	RED	YELLOW	SPECIAL GAS
WP	YELLOW	NONE	NONE	SPECIAL GAS
SF	WHITE	WHITE	WHITE	SPECIAL GAS
DA	RED	RED	NONE	SPECIAL GAS
CA	FOUR RED			SPECIAL GAS
INCENDIARY	NONE	NONE	NONE	INCENDIARY
FM	YELLOW	YELLOW	NONE	SPECIAL SMOKE


OTHER SPECIAL TYPES OF CHEMICAL SHELL WHOSE FUNCTION IS NOT INDICATED BY THE COLOR OF THE PAINT WILL HAVE STENCILLED ON THE SHELL A WORD TO INDICATE ITS FUNCTION.

DRAWING PLANS 10	REVISIONS	COLORING AND MARKING OF AMERICAN 155 MM. GUN AMMUNITION. OFFICE OF COQ AEF FRANCE		 JUNE 25, 1918
		ONE 1ST LT. GEORGE DEPARTMENT US DRAWN	A.T.B. B.J.F. APPROVED BY ORDER OF THE ACTING CHIEF OF ORDNANCE <i>Thomas Stearns</i>	
		ORDNANCE DEPARTMENT U.S.A. CLASS	DIVISION TOM DRAWING 17	FILE



155mm COM. STEEL SHELL MARK II

155mm COM. STEEL SHELL MARK I



155mm COM. STEEL SHELL MARK II GAS

155mm SHRAPNEL MARK I

TABLE OF SHELL FILLER MARKINGS.

SHELL FILLER	COLOR OF BANDS	STENCIL MARKINGS
	1ST BAND 2ND BAND 3RD BAND	
VN	WHITE NONE NONE	SPECIAL GAS
CG	WHITE WHITE NONE	SPECIAL GAS
PS	WHITE RED NONE	SPECIAL GAS
HS	RED RED RED	SPECIAL GAS
BA	RED NONE NONE	SPECIAL GAS
FG	WHITE RED WHITE	SPECIAL GAS
NG	WHITE RED YELLOW	SPECIAL GAS
WP	YELLOW NONE NONE	SPECIAL SMOKE
SF	WHITE WHITE WHITE	SPECIAL GAS
PA	RED RED NONE	SPECIAL GAS
GA	RED FOUR RED	SPECIAL GAS
INCENDIARY	NONE NONE NONE	INCENDIARY
FM	YELLOW YELLOW NONE	SMOKE

OTHER SPECIAL TYPES OF CHEMICAL SHELL WHOSE FUNCTION IS NOT INDICATED BY THE COLOR OF THE PAINT WILL HAVE STENCILLED ON THE SHELL A WORD TO INDICATE ITS FUNCTION.


WEIGHT ZONES FOR 155MM HOW SHELL NOT INCLUDING FUZE WEIGHTS.

FROM	TO	WEIGHT MARK	WEIGHT STENCIL
LBS OZ	LBS OZ		
91 3	92 3	■	41K 700
92 3	93 3	■	42K 700
93 3	94 3	■	43K 700
94 3	95 3	■	44K 700
95 3	96 3	■	45K 700

155mm COM. STEEL SHELL MARK



STENCILING FOR ONE END OF EACH ZONE

ZONE NO.	ZONE NO.
155MM HOWITZER	155MM HOWITZER
ZONE 1	ZONE 2
BASE	INCREMENT 1




CARTRIDGE BAG FOR 155mm HOW (SCHNEIDER) MOD '17.

BASE SECTION CHARGE - ZONE 1 - SMOKELESS POWDER - 3 LBS.
INCREMENT SECTION CHARGE - ZONE 2 - SMOKELESS POWDER - 1 LBS.
INCREMENT SECTION CHARGE - ZONE 3 - SMOKELESS POWDER - 1 LBS.
INCREMENT SECTION CHARGE - ZONE 4 - SMOKELESS POWDER - 1 LBS.
INCREMENT SECTION CHARGE - ZONE 5 - SMOKELESS POWDER - 1 LBS.
INCREMENT SECTION CHARGE - ZONE 6 - SMOKELESS POWDER - 2 LBS.
MAXIMUM CHARGE - 11 LBS.



FIBRE CONTAINER FOR CARTRIDGE BAGS. CAPACITY, TWO.




PACKING BOX FOR FIBRE CONTAINERS CARRYING CARTRIDGE BAGS.

CAPACITY 6 CONTAINERS
SIZE OF BOX - 13.375" X 22.125" X 30.75"

NOTE:
SIZE OF PACKING BOX FOR TWO 155mm SHRAPNEL MARK I - 23.187" X 14.625" X 7.781"
SIZE OF PACKING BOX FOR TWO 155mm COM. STEEL SHELL MARK II - 27.812" X 14.625" X 7.781"

NOTE:
ALL TITLES ARE UNDERLINED.

DRAWING	REVISIONS	COLORING & MARKING OF AMMUNITION
155mm HOW SHELL	SEPT 2, 1918	OFFICE OF GOO. REF. S.O.S.
		CLASS
		DIVISION TOM
		DRAWING 18
		FILE




GIN.COM STEEL SHELL
MARK II


GIN.COM STEEL SHELL
MARK III
GAS

DIMENSIONS OF PACK BOX FOR
GIN GAS SHELL - 25.875" X 14.50" X 7.687"
2 SHELL PER BOX


EXPLOSIVE	SYMBOL
TNT-CAST	AC
50-50 ANATOL	AM 50-50
80-20 ANATOL	AM 80-20



DIMENSIONS OF PACK BOX 47.124" X 14.374" X 14.374"
PACKING BOX FOR FIBRE CONTAINERS CARRYING CART. BAGS
4 CARTRIDGES PER CONTAINER




GIN GUN 1900
03-05
90.5 LB PROJ
X 1/2 CO. 1918
OPEN OTHER END



CARTRIDGE BAG FOR GIN GUN
MAXIMUM CHARGE 40 LBS.
BASE SECTION CHARGE POWDER 25 LBS.
INCREMENT SECTION CHARGE POWDER 15 LBS.
MINIMUM CHARGE 20 LBS.
BASE SECTION CHARGE POWDER 13 LBS.
INCREMENT SECTION CHARGE POWDER 7 LBS.

NOTE:
THE DIAMETER AND WEIGHT OF THE
CARTRIDGE WILL VARY WITH DIFFERENT LOTS
OF SMOKELESS POWDER. THE VARIATIONS GIVEN
REPRESENT EXTREME LIMITS FOR THE SAME
CHARGE.



FIBRE CONTAINER FOR CARTRIDGE BAGS
1 CARTRIDGE PER CONTAINER

WEIGHT OVER	ZONES TO AND INCLUDING	NO. OF SQUARES PAINTED	WEIGHT STENCILLING
86 LBS - 14 OZ	88 LBS - 4 OZ	1	87.56
88 - 4 - 89 - 10 -	89 - 10 -	2	88.94
89 - 10 - 91 - 1 -	91 - 1 -	3	90.34

THE ABOVE WEIGHTS DO NOT INCLUDE THE WEIGHT
OF FUZE

TABLE OF FILLER MARKINGS

SHELL FILLER	COLOR OF BANDS	STENCIL MARKINGS
VN	WHITE NONE NONE	SPECIAL GAS
CG	WHITE WHITE NONE	SPECIAL GAS
PS	WHITE RED NONE	SPECIAL GAS
HS	RED RED RED	SPECIAL GAS
BA	RED NONE NONE	SPECIAL GAS
PG	WHITE RED WHITE	SPECIAL GAS
NC	WHITE RED YELLOW	SPECIAL GAS
WP	YELLOW NONE NONE	SPECIAL SMOKE
SF	WHITE WHITE WHITE	SPECIAL GAS
BA	RED RED NONE	SPECIAL GAS
CA	FOUR RED	SPECIAL GAS
INCENDIARY	NONE NONE NONE	INCENDIARY
FM	YELLOW YELLOW NONE	SPECIAL SMOKE


OTHER SPECIAL TYPES OF CHEMICAL SHELL WHOSE
FUNCTION IS NOT INDICATED BY THE COLOR OF
THE PAINT WILL HAVE STENCILLED ON THE
SHELL A WORD TO INDICATE ITS FUNCTION.

NOTE:
ALL TITLES ARE HEAVILY UNDERLINED.

FOR FUZES SEE DRAWING TOM 20.
FOR PRIMERS SEE DRAWING TOM 21.


DRAWING PERTAINS TO CLASS DIV. ORG.	REVISIONS		COLORING AND MARKING OF AMERICAN GIN. GUN AMMUNITION OFFICE OF COQ AEF SCS JULY 1, '18	
	1. SEPT. 16, 1918 2. NOV. 2, 1918			

ARTILLERY AMMUNITION SECTION



DETONATING FUZE
MARK II
FR TYPE 24/31 M 1899-1908
WITH OR WITHOUT DELAY
USED IN
75MM GUN M16, 4.7" GUN OF 17,
5" S.C. GUN, 6" S.C. GUN, 105MM HOW,
8" S.C. GUN


AS FRACTION DELAY			
A-SAMPLE PLUNGER	2000 RPM	08	DELAY PRIMER
B-	2000	NON	
C-	1300		
D-FA CENTRIFUGAL PLUNGER	2000 RPM	08	DELAY PR
E-	2000	NON	
F-	1300		
G-SAMPLE PLUNGER	1300 RPM	08	DELAY PRIMER
H-	1300	08	
I-	1300	NON	
L-	2000	08	



BASE DETONATING FUSE
MADE UNDER PLANS
USED IN
10" S.G. GUN, 10" NAVY GUN,
12" S.G. GUN, 12" NAVY GUN,
12" MORTAR 12" HOWITZER,
14" S.G. GUN, 16" HOWITZER


BASE DETONATING
MEDIUM CALIBER M. 1906
FOR SEA COAST ARTILLERY AMMUNITION
USED IN 5 IN. 3 C GUN.

NOTE: THESE MARKS ARE
ON FUZE COVERS.
PROPER FUZE MODEL
PROPER LOT NO. &
YEAR OF MANUFACTURE



21 SEC. COMB. FUZE M.1907M USED IN 75 MM GUN M.16	21 SEC. COMB. FUZE M.1905 USED IN 75 MM GUN M.16
31 SEC. COMB. FUZE M.1915 USED IN 4.7" GUN M.16, M.17	45 SEC. COMB. FUZE M.1907M USED IN 4.7" GUN M.16, M.17, 4.7" A.A. GUN M.18, 153 M.M. SCHNEIDER HOWITZER

DETONATING FUZE
MARK III
FR. TYPE 24/31 LAL. M.1916
USED IN 75 M/M GUN, M16,
4.7" GUN M16, M17, 5" S.C. GUN,
155 M/M GRF GUN, 155 M/M HOW. SCHNEIDER,
6" S.C. GUN, 8" S.C. GUN,
8" HOW, 240 M/M HOW.



TYPICAL FUZE CONTAINER MARKINGS


FUZE PACKING BOX		
NAME OF FUZE	NO. PER BOX	SIZE OF BOX
MARK II	50	24.125" x 11" x 13.5"
MARK III	50	17.875" x 9.625" x 8.75"
MARK II	100	17.875" x 9.625" x 8.75"
MARK V	100	17.875" x 9.625" x 8.75"

NOTE: TITLES ARE UNDERLINED



COLORS AND MARKINGS
OF
AMERICAN FUZES
OFFICE OF C.O., S.O.S. A.E.F.

DIVE PER- TAINS TO EXACT DIVE	REVISUALS		COLORS AND MARKINGS OF AMERICAN FUZES OFFICE OF C.O. S.O. A.E.			
			CO. 1-4 BY LIGHT, BROWDER, J. H. BROWDER EXAMINED	APPROVED BY ORDER OF THE CHIEF OF BUREAU <i>Chandler</i>	FEB 5 1918	
CLASS	DIVISION T.O.M		DRAWING 20			

ARTILLERY AMMUNITION SECTION




FOR SEA COAST CANNON
USED IN 5" S.C. GUN, 6" S.C. GUN,
8" S.C. GUN, 10" S.C. GUN, 12" S.C.
GUN, 12" MORTAR, 12" HOWITZER,
14" S.C. GUN, 16" HOWITZER.



21 GRAIN
PERCUSSION PRIMER
MARK I
USED IN 155 M.M. G.P.F.
GUN, 155 M.M. HOW.
8" HOW, 240 M.M. HOW.



110 GRAIN PERCUSSION PRIMER
USED IN 3" MOD. 1918 A.A. GUN,
4.7" GUN MOD. 0617, 4.7" GUN MOD. 18 A.A.






PRIMER	NO. IN BOX	DIM. OF BOX
FRICTION MODEL 14	500	16.65" x 16.5" x 5.95"
T MODEL MARK II	900	18" x 12.03" x 10.78"
ZIG. PERC MARK T	2400	26.25" x 10.875" x 9.5"

NOTE: TITLES ARE UNDERLINED.


DATE PER- TAINING TO CLASS DIV	REVISIONS	MARKINGS OF AMERICAN PRIMERS OFFICE OF C.O.O. S.O.S A.E.F.	
NOV 2-1918		SENTED	BY <u>DAY</u>
		BY <u>DAY</u>	APPROVED BY CHIEF OF THE C.O.O. S.O.S A.E.F.
		AT C.O.O. ORDINANCE DEPARTMENT, M.A.	<u>Chas. M. ...</u>
CLASS		AT C.O.O. ORDINANCE DEPARTMENT, M.A.	AT C.O.O. ORDINANCE DEPARTMENT, M.A.
		DIVISION T.O.M. DRAWING 21	

ARTILLERY AMMUNITION SECTION



CARTRIDGE CASE FOR 12 IN. S.C. R.R. MOUNT GUN MOD. 95-95 MI-1900
 MAXIMUM CHARGE 300 LBS.
 BASE SECTION 200 LBS. INCREMENT SECTION 100 LBS.
 MINIMUM CHARGE 225 LBS.
 BASE SECTION 125 LBS. INCREMENT SECTION 70 LBS.

NOTE:
 DIAMETER AND WEIGHT OF
 CARTRIDGE WILL VARY WITH
 DIFFERENT LOTS OF SMOKELESS
 POWDER. THE VARIATIONS GIVEN
 REPRESENT EXTREME LIMITS
 FOR THE SAME CHARGE.



CARTRIDGE STORAGE CASE FOR S.C. GUN
 RY. MI. FOR 12 IN. MD. 88-95 AND 12 IN. MORTAR
 MODEL 1890-1890 MI.
 HINGED BOLT COVER OR SPIDER COVER
 FOR GUN, 17 DIA. X 79.875 LONG FOR HOW. 15.5 X 47.375 LONG.



NOTE
 FUZE DWG. T.O.M. 20
 PRIMER DWG. T.O.M. 21

NOTE: TITLES ARE UNDERLINED.

DWG. PER- TAINS TO	REVISIONS	COLORS AND MARKINGS OF AMERICAN 12 INCH AMMUNITION OFFICE OF C.O.D. S.O.S. A.E.F.	
CLASS. DWG.	NOV. 7-1918	JULY-6-18	
		SUBMITTED BY: [Signature]	
		APPROVED BY: [Signature]	
		EXAMINED BY: [Signature]	
		CLASS	
		DIVISION T.O.M. DRAWING 23	

ARTILLERY AMMUNITION SECTION

F36-1007-26




FOR FUZES SEE DRG. TOM 20
FOR PRIMERS SEE DRG. TOM 21

NOTE:



ALL TITLES ARE HEAVILY UNDERLINED

DRG PER- TAINS TO CLASS DIV.	REVISIONS		COLORING AND MARKING OF AMERICAN 14 IN GUN & 16 IN HOWITZER AMMUNITION OFFICE OF CQM-AET-S.O.S. JULY 10, 1918
			SUBMITTED: ATB <i>ATB</i>
			APPROVED BY ORDER OF THE CHIEF OF ARTILLERY 1ST LT. ORDNANCE DEPARTMENT N.A.
			EXAMINED: <i>M. M. M.</i>
			1ST LT. ORDNANCE DEPARTMENT N.A.
			1ST LT. COL. ORDNANCE DEPARTMENT
		CLASS	DIVISION TOM DRAWING 25

ARTILLERY AMMUNITION SECTION



STENCILING FOR ONE END OF EACH ZONE	
ZONE NO 1	ZONE NOS 2,3,4
8IN HOWITZER	8IN HOWITZER
ZONE 1	ZONE ☒
BASE	INCREMENT



CARTRIDGE BAG FOR 8IN BL HOW MK I-VI	
MAXIMUM CHARGE - 13 LBS	
BASE SECTION CHARGE - ZONE	SMOKELESS FOR - 5 LBS
INCREMENT	
2	15
4	45





TABLE OF FILLER MARKINGS

SHELL FILLER	COLOR OF BANDS	STENCIL MARKINGS
VN	1ST BAND 2ND BAND 3RD BAND	
CG	WHITE NONE NONE	SPECIAL GAS
PS	WHITE RED	
HS	RED	RED
BA	WHITE NONE NONE	
PG	WHITE RED	WHITE
NC	WHITE NONE NONE	YELLOW
WP	YELLOW NONE NONE	SMOKE
SF	WHITE WHITE WHITE	SPECIAL GAS
DA	RED RED NONE	
CA	FOUR RED	
INCENDIARY	NONE NONE NONE	INCENDIARY
FM	YELLOW (YELLOW)	SPECIAL SMOKE

OTHER SPECIAL TYPES OF CHEMICAL SHELL WHOSE FUNCTION IS NOT INDICATED BY THE COLOR OF THE PAINT WILL HAVE STENCILLED ON THE SHELL A WORD TO INDICATE ITS FUNCTION

EXPLOSIVE	SYMBOL
TNT CAST	AC
5050 AMTOL	AM5050
8020 AMTOL	AM8020

WEIGHT MARKS FOR GAS SHELL	
WEIGHT ZONES	NO OF WEIGHT SQUARES STENCILING
OVER TO AND INCLUDING	
176.2 LBS 10Z 195 LBS 6.0Z	1 196.58
195.6 LBS 6.0Z 198 LBS 11.0Z	2 197.89
198 LBS 11.0Z 202 LBS 0.0Z	3 201.20

THE ABOVE WEIGHTS DO NOT INCLUDE THE WEIGHT OF THE FUZE

WEIGHT MARKS FOR H.E. SHELL	
WEIGHT ZONES	NO OF WEIGHT SQUARES STENCILING
OVER TO AND INCLUDING	
192 LBS 9.0Z 195 LBS 14.0Z	1 194.58
195 LBS 14.0Z 199 LBS 3.0Z	2 197.88
199 LBS 3.0Z 202 LBS 8.0Z	3 201.20

THE ABOVE WEIGHTS DO NOT INCLUDE THE WEIGHT OF THE FUZE

CARTRIDGE STORAGE CASE FOR 8IN BL HOW MKS I-VI FOUR CARTRIDGES PER CASE

FOR FUZES SEE DRAWING-TOM 20
FOR PRIMERS SEE DRAWING-TOM 21

NOTE: ALL TITLES ARE HEAVILY UNDERLINED

DRAWING PERTAINS TO CLASSIFY ORG	REVISIONS		COLORING & MARKING OF AMERICAN 8IN HOW. AMMUNITION OFFICE OF C.O. AEF - 505 JULY 8 18		
	2	SEPT 26, 1918			
	3	NOV 7-1918			
CLASS			DIVISION TOM	DRAWING 27	FILE

ARTILLERY AMMUNITION SECTION

PIECE IN. HOW. OR MORT.	METHOD OF LOAD	PROJECTILE						ADAPTER & BOOSTER	FUZE						PROPELLANT						PRIMERS						COMPLETE ROUND	
		TYPE	WEIGHT	FILLER	SIZE OF BOX	NO. IN SHIPPING BOX	SHIPPING WEIGHT		TYPE	PER COM. SUPPLIED	SIZE OF SHIPPING BOX	NO. IN BOX	SHIPPING WEIGHT	SHIPPING VOLUME	TYPE	WEIGHT	SIZE OF SHIPPING BOX	NO. IN BOX	SHIPPING WEIGHT	SHIPPING VOLUME	TYPE	SIZE OF SHIPPING BOX	NO. IN BOX	SHIPPING WEIGHT	SHIPPING VOLUME	SHIPPING WEIGHT	SHIPPING VOLUME	
5 IN. GUN	UNFIRED	COM. STEEL MK II	90.5	AMTOL	NO BOX, PT. FUZE, 6.75" D x 23.605"	91.0	.622	MARK III	17.812" x 9.625" x 8.75"		17.812" x 9.625" x 8.75"	50	1.6	.01736	27	41.25" x 14.375" x 14.375"	4	40.0	1.409	MOD. 914 FRIC.	16.65" x 16.15" x 5.95"	500	.085	.00186	192.685	2.0502		
									BRITISH MOD. 106		17.812" x 9.625" x 8.75"	100	.5	.009														
									MARK II		24.125" x 12.75" x 11"	50	3.86	.0391														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									BRITISH MOD. 106		17.812" x 9.625" x 8.75"	100	.5	.009														
									MARK II		24.125" x 12.75" x 11"	50	3.86	.0391														
									MARK VI		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									SPECIAL TIME																			
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
155 MM GUN	UNFIRED	COM. STEEL MK III	95	AMTOL	NO BOX, PT. FUZE, 6.75" D x 24.85"	96	.659	MARK III	17.812" x 9.625" x 8.75"		17.812" x 9.625" x 8.75"	50	1.6	.01736	26	41.625" x 14.625" x 14.625"	4	38.0	1.28	21 GR.	26.25" x 10.875" x 9.5"	2400	.0354	.007	135.635	1.9594		
									SPEC. ADAPTER			100	.5	.009														
									BRITISH MOD. 106		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK V		17.812" x 9.625" x 8.75"	100	.5	.009														
									BRITISH MOD. 106		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK VI		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK VII		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
155 MM GUN	UNFIRED	COM. STEEL MK I	95	B.P.	7.781" x 14.625" x 23.187"	2	108	.7635	45 SEC. TIME						26	41.625" x 14.625" x 14.625"				21 GR.	26.25" x 10.875" x 9.5"	2400	.0354	.007	108	76.35		
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736	77	30.75" x 22.85" x 15.375"	12	18.61	.505									
									MARK IV		17.812" x 9.625" x 8.75"	100	.566	.009														
									BRITISH MOD. 106		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"	50	1.6	.01736														
									MARK III		17.812" x 9.625" x 8.75"																	

FRENCH AMMUNITION.

PIECE GUN, HOW. OR MORTAR	METHOD OF LOADING	PROJECTILE						ADAPTER AND BOOSTER.	FUSE						PROPELLANT						PRIMER				COMPLETE ROUND			
		TYPE.	WEIGHT LBS.	FILLER	SIZE OF BOX	NO. IN BOX	SHIPPING WEIGHT		SHIPPING VOLUME	TYPE.	9. SUPPLY	SIZE OF THE SHIPPING BOX	NO. IN BOX	SHIPPING WEIGHT	SHIPPING VOLUME	TYPE.	WEIGHT	SIZE OF THE SHIPPING BOX	NO. IN BOX	SHIPPING WEIGHT	SHIPPING VOLUME	TYPE.	SIZE OF THE SHIPPING BOX	NO. IN BOX	SHIPPING WEIGHT	SHIPPING VOLUME	SHIPPING WEIGHT	SHIPPING VOLUME
37 M/M.	FIXED	A.P. SHELL C.I. " H.E. "	1.125 1. 1.83	B.P. " MELINE	21.65 X 7.87 X 6.29 26.77 X 13.55 X 8.26	38. " 54.																			45. 42. 34.	018 " 03		
75 M/M.	FIXED	GAS SHELL TRACER SHRAPNEL INCENDIARY SHELL H.E.	12.23 16.755 18.86 " 12.23	GAS " " H.E.	32 X 32.5 X 16 " " "	9. " " " 20.82	74 " " " "	MS 97-14 NONE. " MS 97-14 " "	24/31 IAL MS 16 50/55 MS 1913. " 24/31 MS 99 " 99-06 RY 24/31 IAL MS 16		100. " " 30 X 10.5 X 14. " NONE.	1.27 " " 294 48 1.27 100.	0.01 " " 0.017 " 0.017												22.09 25.34 25.71 21.5	75 74 74 75		
155 M/M GUN (G.P.F.)		LONG STL SHELL (1887) STL SHELL TYPE 2 (1887) SEMI STL SHELL (1917)	35.98 " 38.87	H.E. " "	NO BOX. 6.7 DIA X 25.45 " " 6.7 DIA X 23.95 " " 6.7 DIA X 22.79	100. 8 " 8 103. 8	624 1.606 592	MS 97-14 " " " " " "A	24/31 MS 99-15 " IAL MS 16 " MS 99-15	22 X 10 X 7.25 " " " 22 X 10 X 7.25	84 100 84	.59 1.27 .59	.011 0.017 0.011	MS 97-14 " " " " " "	24/31 MS 99-15 " IAL MS 16 " MS 99-15	22 X 10 X 7.25 " " " 22 X 10 X 7.25	84 100 84	.59 1.27 .59	.011 0.017 0.011							125.2 125.8 125.8	126.9 127.5 128.0	73 7 44
155 M/M HOW (SCNDR)		CASE SHOT (1887) SHRAPNEL (1879) (D.B.) LONG STL SHELL (1887) SEMI STL SHELL (1887)	33.95 33.48 35.3 36.6	" " " "	NO BOX. 6.7 DIA X 16.33 " " 6.7 DIA X 16.33 " " 6.7 DIA X 25.45 " " 6.7 DIA X 22.79	94. 8 " 8 100. 8 101. 8	42 " 66 592	NONE. " " " " " " " " "	30/55 MS 1889 " " IAL MS 16 " MS 99-15 " IAL MS 16	NONE. " " " 22 X 10 X 7.25 22 X 10 X 7.25	" " " " 84 84	.59 1.27 .59	.011 0.017 0.011	MS 97-14 " " " " " " " " "	24/31 MS 99-15 " IAL MS 16 " MS 99-15 " IAL MS 16	22 X 10 X 7.25 " " " 22 X 10 X 7.25	84 100 84	.59 1.27 .59	.011 0.017 0.017							109.6 110.3 110.6 111.3	106.9 107.6 107.8 108.6	75 72 67

BRITISH AMMUNITION.

8 IN. HOW.	MK III, V	200	H.E.	NO BOX 8.5 DIA. X 23.99	205. 8	997. 8	GRINE #2 NONE	101E. NO. 106 MK II	10.75 X 16.5 X 13	20.	3.8	.0667	NTC 16 10.75 (LV) R.D.B. 17.5 (HV)	9 DIA. X 32.5 2(LV) " " " 1(HV)	15. 8 15. 8	761 1.523	PRC OR PER. T.							125 8	10018 8	225 232	107 (LV) 14 (HV)
	MK VII, VIII	"	"	" 8.5 DIA. X 24.3	"	101 8	GRINE #2 NONE	101E. NO. 106 MK II	" " " "	"	"	"	NTC 16 10.75 (LV) R.D.B. 17.5 (HV)	" " " 2(LV) " " " 1(HV)	15. 8 25. 8	761 1.523	"								225 232	112 (LV) 145 (HV)	
	MK VII, IX	"	"	" 8.5 DIA. X 23.43	"	128 8	GRINE #2 NONE	101E. NO. 106 MK II	" " " "	"	"	"	NTC 16 10.75 (LV) R.D.B. 17.5 (HV)	" " " 2(LV) " " " 1(HV)	15. 8 25. 8	761 1.523	"								225 232	127 (LV) 16 (HV)	
9.2 IN. HOW.	MK II, VII, IX	280	H.E.	NO BOX. 9.7 DIA. X 27.09	285. 8	1473	GRINE #2 NONE	101E. NO. 106 MK II	" " " "	"	"	"	NTC 19 13.095 M.D.T.R. 23.75	9.5 DIA. X 16.5 2(LV) " " X 35 1(LV)	17. 8 36. 8	43 1.827	"								315 335	143 (LV) 265 (HV)	
	MK XIII, XIV	"	"	" 9.7 DIA. X 27.06	"	1745	GRINE #2 NONE	101E. NO. 106 MK II	" " " "	"	"	"	NTC 19 13.095 M.D.T.R. 23.75	" " X 16.5 2(LV) " " X 35 1(HV)	17. 8 36. 8	43 1.827	"								315 335	143 (LV) 265 (HV)	
	MK XIII, XV	"	"	" 9.7 DIA. X 27.92	"	152	GRINE #2 NONE	101E. NO. 106 MK II	" " " "	"	"	"	NTC 19 13.095 M.D.T.R. 23.75	" " X 16.5 2(LV) " " X 35 1(HV)	17. 8 36. 8	43 1.827	"								315 335	143 (LV) 265 (HV)	
	MK XIV, XV, XVI, XVII	"	"	" 9.7 DIA. X 30.42	"	1656	GRINE #2 NONE	101E. NO. 106 MK II	" " " "	"	"	"	NTC 19 13.095 M.D.T.R. 23.75	" " X 16.5 2(LV) " " X 35 1(HV)	17. 8 36. 8	43 1.827	"								315 335	143 (LV) 265 (HV)	

NOTES
ALL VOLUMES IN CU FT
ALL WEIGHTS IN LBS
8 ESTIMATED.

DRAWING PERTAINS TO CLASSIFICATION	REVISIONS	SHIPPING CHART FOR FRENCH & BRITISH ARTILLERY AMMUNITION SHEET 4 OF 4 SHEETS OFFICE OF C.O.D. A.F. FRANCE		 OCT 16, 1918
		ORDNANCE DEPARTMENT U.S.A. NOTES: ORDNANCE DEPARTMENT U.S.A.		
CLASS	DIVISION	DRAWING	FILE	